



*Severstal Dearborn, Inc.
14661 Rotunda Drive
P.O. box 1699
Dearborn, MI 48120-1699*

August 19, 2010

M.U.S.T.
21353 Bridge St.
Southfield, MI 48033

Dear Program Administrator:

Please be advised that effective September 13, 2010 Severstal Dearborn will implement its revised Contractor Drug-Alcohol Testing Protocol requirements for all trade workers for project work at the Severstal Dearborn plant. Severstal Dearborn will now only utilize the M.U.S.T. drug testing official notification process and will no longer except Custody and Control forms as proof of a current drug test.

Contractor Project Managers/Owners will need to notify their employees of this change on current projects and those for future bidding. Those contractors that come on site after the September 13th date will be notified if they are no longer current on the MUST web site will not be granted site access.

Additional Contractor Safety Review Requirements for Severstal Dearborn are being finalized and will be made available to each contractor company during the initial proposal stage. These requirements will include satisfactory completion of the 18 M.U.S.T. Online Learning Modules by PureSafety that are based on topics from the OSHA 30 Hour Outreach Training Program. Severstal Dearborn is continuing to work to establish increased safety awareness and improvements for acceptable safety performance.

Your assistance in our improvement strategies for safety awareness training and ensuring our drug-alcohol free workplace is greatly appreciated.

Sincerely,

Jack Skidmore
Manager,
Severstal Dearborn Safety & Fire Protection